

APPLICATION AND DIRECTIONS:

Apply at a rate of 50 grams per acre in enough water to penetrate into thatch, or irrigate immediately. Dissolve dry material in a bucket of water for 5 minutes. Decant liquid through filter cloth prior to pouring into sprayer tank. The remaining material in the filter cloth is only organic material and can be disposed of directly on the ground.

Micro Thatch can be used in conjunction with Pepzyme G, but only in early spring or fall.

Net Weight: _____ gm.

Treats: _____

Exp. Date: _____

Lot #: _____

MICRO THATCH™

COMPOST DIGESTER



**TAINIO TECHNOLOGY
& TECHNIQUE, INC.**

Natural Growing Through Technology

S. 12102 ANDRUS RD., CHENEY, WA 99004

www.tainio.com

CONTENTS:

Micro Thatch is a selected species of a Bacillus bacteria combined with seven specific cellulose digesting fungi and other bacteria.

Other Ingredients:

Enzymes, humic acid, sucrose, lactose, proteins, carbohydrates, vitamins, barley bran, and wood fiber.

CAUTION:

Keep out of reach of children and pets.

Do not swallow.

Do not mix with herbicides, fungicides, or insecticides.

Do not spray on wood buildings, fence posts, power poles, or telephone poles.

CONTAINS LIVE SOIL MICROBES:

Store below 120 degrees F.

Keep out of direct sunlight.